

HUAHE

HUAHE SMART LOCK CATALOG

SMART ACCESS SOLUTIONS • 2026

HUAHE

STRATEGIC PARTNER OF LEADING BRANDS OF SMART LOCKS



FULLY AUTOMATIC • SEMI-AUTOMATIC • ALUMINUM • RIM • SPHERICAL • PADLOCK

CONTENTS

- [1 FULLY AUTOMATIC SMART LOCKS](#)
- [2 SEMI-AUTOMATIC SMART LOCKS](#)
- [3 THERMAL-BREAK ALUMINUM SMART LOCKS](#)
- [4 RIM LOCKS](#)
- [5 SPHERICAL LOCKS](#)
- [6 SMART PADLOCKS](#)

Click a category to open its section



ITEM NO:HH--D13-6



Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	Tuya WiFi	Suitable Door Thickness	40-120mm
Optional Color	black/Dark Grey	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--D15-C6

Built-in Li Bat

Display

Camera

Password keyboard

Indoor Emergency Handle

Semiconductor fingerprint sensor

Indoor Safety Thumb Turn

Type-C Power Supp

Mechanical Keys

Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	Tuya WiFi	Suitable Door Thickness	40-120mm
Optional Color	black/Dark Grey	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot; video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--D18-C6

Built-in Li Bat

Display

Indoor Emergency Handle

Indoor Safety Thumb Turn

Camera

Passwordkeyboard

Built-in FP Sensor

Mechanical Keys

Type-C Power Supp

Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	Tuya WiFi	Suitable Door Thickness	40-120mm
Optional Color	black/Dark Grey	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--IP6

Built-in Li Bat

Display

Indoor Emergency Handle

Indoor Safety Thumb Turn



Camera

Password keyboard

Built-in FP Sensor



Mechanical Keys

Type-C Power Supp



Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	Tuya WiFi	Suitable Door Thickness	40-120mm
Optional Color	black/Dark Grey/Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--IP8

Camera

Built-in Li Bat

Passwordkeyboard

Display

Built-in FP Sensor

Indoor Emergency Handle

Mechanical Keys

Type-C Power Supp

Indoor Safety Thumb Turn

Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	Tuya WiFi	Suitable Door Thickness	40-120mm
Optional Color	black/Dark Grey/Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--J4412

Camera

Built-in Li Bat

Password keyboard

Display

Semiconductor fingerprint sensor

Indoor Emergency Handle

Mechanical Keys

Indoor Safety Thumb Turn

Type-C Power Supp

Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	23KG
Matched APP	poor handwriting WiFi	Suitable Door Thickness	40-120mm
Optional Color	Grey / Antique Copper	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot; video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--J612



Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	23KG
Matched APP	poor handwriting WiFi	Suitable Door Thickness	40-120mm
Optional Color	Grey / Antique Copper	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--M03

Built-in Li Bat

Display

Camera

Password keyboard

Built-in FP Sensor

Type-C Power Supp

Mechanical Keys

Indoor Emergency Handle

Indoor Safety Thumb Turn

Material	Precision carved Al alloy	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	Tuya WiFi	Suitable Door Thickness	40-120mm
Optional Color	black/Dark Grey/Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		




ITEM NO:HH--X16



Material	Die casting aluminum	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	TuyaWiFi	Suitable Door Thickness	40-120mm
Optional Color	Black, red, and antique gray	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		




ITEM NO:HH--X2212



Material	Aluminum Die Casting	fingerprint capacity	100 pieces
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 50cm*42cm*45.5cm
Optional Lock Body	60*68, 60*85	Carton Weight	22KG
Matched APP	poor handwriting WiFi	Suitable Door Thickness	40-120mm
Optional Color	Black Grey / Red Bronze	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	intelligent snapshot;video intercom (optional); remote unlocking (optional); Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port		




ITEM NO:HH-702



Material	Aluminum	Specification	270mm*60mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporary password, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 61.5cm*37.5cm*36.3cm
Optional Lock Body	50*50, 40*85	Carton Weight	18KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	AE, BL, Silver, Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/AP P (optional), Electronic lock body(optional)		




ITEM NO:HH-705



Material	Metal	Specification	270mm*62mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 61.5cm*37.5cm*36.3cm
Optional Lock Body	50*50, 40*85	Carton Weight	18KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	AE, BL, Silver, Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/AP P (optional), Electronic lock body(optional)		




ITEM NO:HH-707



Material	Aluminum	Specification	265mm*62mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporary password, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 61.5cm*37.5cm*36.3cm
Optional Lock Body	50*50, 40*85	Carton Weight	18KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	AE, BL, Silver, Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/AP P (optional), Electronic lock body(optional)		




ITEM NO:HH-B-305



Material	Aluminun	Sepcification	260mm*64mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporaty password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 61.5cm*37.5cm*36.3cm
Optional Lock Body	50*50, 40*85	Carton Weight	21KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, gray	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/A PP (optional), Electronic lock body(optional)		



ITEM NO:HH-B-306



Material	Aluminun	Sepcification	260mm*64mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporaty password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 61.5cm*37.5cm*36.3cm
Optional Lock Body	50*50, 40*85	Carton Weight	21KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, gray	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/A PP (optional), Electronic lock body(optional)		




ITEM NO:HH-B-307



Material	Aluminun	Sepcification	260mm*64mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporaty password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 61.5cm*37.5cm*36.3cm
Optional Lock Body	50*50, 40*85	Carton Weight	21KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, gray	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/A PP (optional), Electronic lock body(optional)		



ITEM NO:HH-F18



Material	Metal	Specification	260mm*60mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 62cm*33cm*38.5cm
Optional Lock Body	50*50, 40*85	Carton Weight	13.5KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, Silver, Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/APP (optional)		




ITEM NO:HH-FF-S1



Material	Metal	Sepcification	260mm*60mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporaty password, NFC	Power Supply Mode	Dry Battery
		Carton size	20sets/ctn 54.5cm*40cm*39cm
Optional Lock Body	60*70	Carton Weight	15KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, Silver, Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/AP P (optional)		



ITEM NO:HH-LS-003



Material	Stainless Steel	Specification	270mm*60mm
Unlock Method	3D Facial Recognition, Fingerprint, Password, Card, Mechanic keys, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 63.5cm*34.5cm*38cm
Optional Lock Body	40*85, 50*50, 55*72	Carton Weight	22.5KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	SS, BL, AE, Silver	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP67 waterproof(optional); Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/APP (optional)		




ITEM NO:HH-LS-005



Material	Stainless Steel	Specification	270mm*60mm
Unlock Method	Face recognition, Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	6sets/ctn 51cm*40.5cm*48cm
Optional Lock Body	60*68	Carton Weight	16.6KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	SS, BL, AE, Gold	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP67 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/ APP (optional)		



ITEM NO:HH-X3



Material	Aluminum	Sepcification	270mm*60mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, NFC	Power Supply Mode	Dry Battery
		Carton size	8sets/ctn 54.5cm*40cm*39cm
Optional Lock Body	60*68	Carton Weight	21KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, AE, Gold, Silver	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/ APP (optional), Electronic lock body(optional)		




ITEM NO:HH-X5



Material	Metal	Specification	270mm*60mm
Unlock Method	Fingerprint, Password, Card, Mechanic keys, NFC	Power Supply Mode	Dry Battery
		Carton size	8sets/ctn 54.5cm*40cm*39cm
Optional Lock Body	60*68	Carton Weight	21KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, AE, Silver	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/ APP (optional), Electronic lock body(optional)		




ITEM NO:HHZS-M10



Material	Metal	Specification	268mm*63
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 54cm*34.5cm*39.5cm
Optional Lock Body	50*50, 45*85	Carton Weight	17KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, gray	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/AP P (optional)		




ITEM NO:HHZS-M9



Material	Metal	Specification	268mm*63
Unlock Method	Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 54cm*34.5cm*39.5cm
Optional Lock Body	50*50, 45*85	Carton Weight	17KG
Matched APP	Tuya, TT	Suitable Door Thickness	40-100mm
Optional Color	BL, gray	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	IP55 waterproof; Low battery alarm, Anti-peep, Anti-pry alarm, Type-C emergency Power supply, RF remote/AP P (optional)		




ITEM NO:HH-D6



Material	Aluminum alloy	Sepcification	
Unlock Method	Fingerprint, Password, Card, Mechanic keys,AP P, NFC	Power Supply Mode	Lithium Battery
		Carton size	10sets/ctn 55cm*47cm*38cm
Optional Lock Body	2085-6085	Carton Weight	19KG
FAR	<0.00001%	Suitable Door Thinkness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Waterproof:IP66(optional) 2:Anti-theft alarm device; Anti-peeping device 3:type-c emergency charging port; low battery alarm; 4:Tuya WiFi (optional):bulethooth (optional)		



ITEM NO:HH-H8



Material	Aluminum alloy	Specification	
Unlock Method	Face recognition, Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Lithium Battery
		Carton size	10sets/ctn 56cm*39cm*49cm
Optional Lock Body	2085-7085 (optional)	Carton Weight	29KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Tuya WiFi 2:waterproof:IP68(optional) 3:Anti-theft alarm device; Anti-peeping device 4:type-c emergency charging port; low battery alarm;		



ITEM NO:HH-J03

Dual Lens Camera

Battery compartment

Indoor Emergency Handle

Indoor Safety Thumb Turn

Integrated Touch Keypad

IC Card

Semiconductor Fingerprint Sensor

Front Door Handle


Emergency Keyhole

Type-C Charging Port

Material	Aluminum alloy	Specification	
Unlock Method	Face recognition, Palm vein recognition, Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Lithium Battery
		Carton size	10sets/ctn 63cm*48cm*36cm
Optional Lock Body	2085-6085	Carton Weight	24KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:remote unlocking (optional); 2:waterproof:IP67(optional) 3:Anti-theft alarm device; Anti-peeping device;low battery alarm; 4:type-c emergency charging port		




ITEM NO:HH-L1



Material	Precision-machined aluminum alloy	Specification	
Unlock Method	Face recognition, Palm vein recognition, Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery, Lithium Battery
		Carton size	10sets/ctn 63cm*48cm*36cm
Optional Lock Body	2085-6085	Carton Weight	26KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:remote unlocking (optional); 2:waterproof:IP67(optional) 3:Anti-theft alarm device; Anti-peeping device; low battery alarm; 4:type-c emergency charging port		




ITEM NO:HH-x10



Material	Precision-machined aluminum alloy	Specification	
Unlock Method	Face recognition, Palm vein recognition, Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Dry Battery,Lithium Battery
		Carton size	10sets/ctn 63cm*48cm*36cm
Optional Lock Body	2085-6085	Carton Weight	26KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:remote unlocking (optional); 2:waterproof:IP67(optional) 3:Anti-theft alarm device; Anti-peeping device;low battery alarm; 4:type-c emergency charging port		



ITEM NO:HH-X11



Material	Aluminum alloy	Specification	
Unlock Method	Fingerprint, Password, Card, Mechanic keys, AP P, NFC, Temporary Password	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 52cm*42cm*41cm
Optional Lock Body	2085-7085	Carton Weight	20KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Waterproof:IP68(optional) 2:Anti-theft alarm device; Anti-peeping device 3:type-c emergency charging port; low battery alarm; 4:Tuya WiFi (optional):TT(optional)		



ITEM NO:HH-X1M

Battery compartment

Reset Pinhole

Indoor Emergency Handle

Auto unlock
Auto lock

IC Card

Integrated Touch Keypad

Semiconductor Fingerprint Sensor


Outdoor Handle

Emergency Keyhole
Type-C Charging Port

Material	Aluminum alloy	Specification	
Unlock Method	Fingerprint, Password, Card, Mechanic keys, APP, NFC, Temporary Password	Power Supply Mode	Lithium Battery
		Carton size	12sets/ctn 56cm*39cm*49cm
Optional Lock Body	2085-6085	Carton Weight	16KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Waterproof:IP68(optional) 2:Anti-theft alarm device; Anti-peeping device 3:type-c emergency charging port; low battery alarm; 4:Tuya WiFi (optional):TT(optional)		




ITEM NO:HH-X5M



Material	Aluminum alloy	Specification	
Unlock Method	Fingerprint, Password, Card, Mechanic keys, APP, NFC, Temporary Password	Power Supply Mode	Lithium Battery
		Carton size	9sets/ctn 56cm*39cm*49cm
Optional Lock Body	2085-7085	Carton Weight	21.8KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Waterproof:IP68(optional) 2:Anti-theft alarm device; Anti-peeping device 3:type-c emergency charging port; low battery alarm; 4:Tuya WiFi (optional):TT(optional)		




ITEM NO:HH-X6



Material	Aluminum alloy	Specification	
Unlock Method	Face recognition, Palm vein recognition, Fingerprint, Password, Card, Mechanic keys, Temporary password, APP, NFC	Power Supply Mode	Lithium Battery
		Carton size	10sets/ctn 63cm*48cm*36cm
Optional Lock Body	2085-6085	Carton Weight	27KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:remote unlocking (optional); 2:waterproof:IP67(optional) 3:Anti-theft alarm device; Anti-peeping device;low battery alarm; 4:type-c emergency charging port 5:Tuya WIFI(optional) Video Intercom		




ITEM NO:HH-X8



Material	Precision-machined aluminum alloy	Sepcification	
Unlock Method	Face recognition, Palm vein recognition, Fingerprint, Password, Card, Mechanic keys, Temporaty password, APP, NFC	Power Supply Mode	Lithium Battery
		Carton size	10sets/ctn 63cm*48cm*36cm
Optional Lock Body	2085-6085	Carton Weight	30KG
FAR	<0.00001%	Suitable Door Thinkness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:remote unlocking (optional); 2:waterproof:IP67(optional) 3:Anti-theft alarm device; Anti-peeping device;low battery alarm; 4:type-c emergency charging port		




ITEM NO:HH-Z11



Material	Precision Machined Aluminum alloy	Sepcification	
Unlock Method	Face recognition, Fingerprint, Password, Card, Mechanic keys, Temporaty password, APP, NF C	Power Supply Mode	Lithium Battery
		Carton size	6sets/ctn 113cm*36cm*44cm
Optional Lock Body	6068-6085 (optional)	Carton Weight	26KG
FAR	<0.00001%	Suitable Door Thinkness	40-100mm
FRR	<1%	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Tuya WiFi Viedo Intercom 2:waterproof:IP68(optional) 3:Anti-theft alarm device; Anti-peeping device 4:type-c emergency charging port; low battery alarm;		



ITEM NO:HH--2355



Material	ABS +metal	fingerprint capacity	50 Cards + Passwords: 250
Unlock Method	Fingerprint password, Card swiping, Key, Temporary password, App NFC	Power Supply Mode	Dry Battery(4xAA Bat)
		Carton size	10sets/ctn 64cm*42cm*23.5cm
Optional Lock Body	/	Carton Weight	16KG
Matched APP	Graffiti (All) (Optional)	Suitable Door Thickness	/
Optional Color	Black	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port Mechanical Key		



ITEM NO:HH--A16



Material	Kirsite	fingerprint capacity	100 Cards + Passwords: 200
Unlock Method	Face, Palm Vein, Fingerprint Password, Card Scanning, Temporary Password, App Remote Locking, NFC	Power Supply Mode	Lithium Battery
		Carton size	10sets/ctn52cm*27cm*45cm
Optional Lock Body	/	Carton Weight	19KG
Matched APP	Tuya WiFi	Suitable Door Thickness	/
Optional Color	Black	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port Waterproof: IP67		



ITEM NO:HH--A17




Material	ABS + metal	fingerprint capacity	100 Cards + Passwords: 100
Unlock Method	Fingerprint Password Card Reading Temporary Password App NFC	Power Supply Mode	Dry Battery (4xAA Bat)
		Carton size	10sets/ctn57cm*22.5cm*38cm
Optional Lock Body	/	Carton Weight	12.3KG
Matched APP	Tuya :Bluetooth /Wife	Suitable Door Thickness	/
Optional Color	charcoal grey	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port G20 Waterproof		



ITEM NO:HH--LSG20

waterproof coverfor shading



Material	ABS +metal	fingerprint capacity	50 Cards + Passwords: 250
Unlock Method	Fingerprint password, Card swiping, Key, Temporary password, App NFC	Power Supply Mode	Dry Battery(4×AA Bat)
		Carton size	10sets/ctn 64cm*42cm*23.5cm
Optional Lock Body	/	Carton Weight	16KG
Matched APP	Graffiti (All) (Optional)	Suitable Door Thickness	/
Optional Color	Black	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port G20 Waterproof		



ITEM NO:HH--N6



Material	Al Alloy	fingerprint capacity	50 Cards + Passwords: 250
Unlock Method	Face recognition, Palm vein recognition, Fingerprint authentication, Card scanning, Password, Temporary password, App NFC	Power Supply Mode	Dry Battery(4xAA Bat)
		Carton size	6sets/ctn56cm*36cm*44cm
Optional Lock Body	/	Carton Weight	21KG
Matched APP	Graffiti (All) (Optional)	Suitable Door Thickness	/
Optional Color	Black	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port WP: IP68 Mechanical Key		



ITEM NO:HH--TB2



Material	Aluminum Alloy	fingerprint capacity	100 Cards + Passwords: 100
Unlock Method	Fingerprint password, Card swipe key, Temporary password, App mechanical key, NFC	Power Supply Mode	Dry Battery (4xAA Bat)
		Carton size	10sets/ctn62cm*33cm*38.5cm
Optional Lock Body	/	Carton Weight	16KG
Matched APP	Tuya wife	Suitable Door Thickness	/
Optional Color	Black	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Ati-theft alarm device; low battery alarm; virtual password; usb emergency charging port		



ITEM NO:HH--ZSG22



Material	Kirsite	fingerprint capacity	100 Cards + Passwords: 200
Unlock Method	Face, Palm Vein, Fingerprint Password, Card Scanning, Temporary Password, App Remote Locking, NFC	Power Supply Mode	Lithium Battery
		Carton size	12sets/ctn52cm*27cm*45cm
Optional Lock Body	/	Carton Weight	19KG
Matched APP	Tuya WiFi	Suitable Door Thickness	/
Optional Color	Black	Supported Language	Over 12 countries
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Anti-theft alarm device; low battery alarm; virtual password; usb emergency charging port G20 Waterproof		



ITEM NO:HH-8806

Semiconductor Fingerprint Sensor

One-Touch Lock

Integrated Touch Keypad



Material	Precision-machined aluminum alloy	Specification	
Unlock Method	Single Fingerprint Password, Mechanic keys, Card	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 57cm*22cm*38cm
Optional Lock Body	6070	Carton Weight	15KG
FAR	<0.00001%	Suitable Door Thickness	40-100mm
FRR	<0.15%	Supported Language	/
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	1:Single Fingerprint Password, Mechanic keys, Card 2:Tuya TT (optional)		



ITEM NO:HH-CL01

Indoor Safety Thumb Turn

Indoor Emergency Handle




Password Button

Outdoor Handle

Material	Stainless Steel	Sepcification	
Unlock Method	Password,Mechanic keys	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 57cm*22cm*38cm
Optional Lock Body	6070	Carton Weight	12KG
FAR	<0.00001%	Suitable Door Thinkness	40-100mm
FRR	<1%	Supported Language	/
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Password,Mechanic keys		



ITEM NO:HH-CL02



Material	Stainless Steel	Sepcification	
Unlock Method	Password,Mechanic keys	Power Supply Mode	Dry Battery
		Carton size	10sets/ctn 57cm*22cm*38cm
Optional Lock Body	6070	Carton Weight	12KG
FAR	<0.00001%	Suitable Door Thinkness	40-100mm
FRR	<1%	Supported Language	/
Working Temperature	-20°C~60°C	Warranty Period	18 months
Function	Password,Mechanic keys		



ITEM NO:HH-CS3GL

Coiled Braided Steel Cable

Mounting Bracket

Integrated Touch Keypad



Material	Aluminum	Specification	48mm*66mm
Unlock Method	Fingerprint(50pcs), Password(100pcs), Card (100pcs), Mechanic keys, Tuya APP	Power Supply Mode	Lithium Battery, 250mAh
		Carton size	25pcs/ctn 55cm*24cm*37cm
Working Temperature	-10°C~45°C	Carton Weight	19.5KG
Function	IP55 waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply,one-hour-charge can be available about 3 months		



ITEM NO:HH-CS3HX



Flexible Steel Cable

Integrated Touch Keypad

Material	Aluminum	Sepecification	48mm*66mm
Unlock Method	Fingerprint(50pcs), Password(100pcs), Card (100pcs), Mechanic keys, Tuya APP, NFC	Power Supply Mode	Lithium Battery, 250mAh
		Carton size	33pcs/ctn 55cm*24cm*37cm
Working Temperature	-10°C~45°C	Carton Weight	18.5KG
Function	Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-CS3TL

Braided Steel Cable Chain

Mechanical Keys

Integrated Touch Keypad

Metal Carabiner



Material	Aluminum	Sepcification	48mm*66mm
Unlock Method	Fingerprint(50pcs), Password(100pcs), Card (100pcs), Mechanic keys, Tuya APP	Power Supply Mode	Lithium Battery, 250mAh
		Carton size	25pcs/ctn 55cm*24cm*37cm
Working Temperature	-10°C~45°C	Carton Weight	22.5KG
Function	IP55 waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply,one-hour-charge can be available about 3 months		



ITEM NO:HH-CTS10




Material	ABS	Sepecification	10.2*7*5.5
Unlock Method	Password(50PCS), Card(100)	Power Supply Mode	Dry Battery
		Carton size	100pcs/ctn 55cm*24cm*37cm
Working Temperature	-10°C~45°C	Carton Weight	12.5KG
Function	Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-CTS11

Integrated
Touch Keypad



Lock Latch
Back Module

Material	ABS	Specification	10.2*7*5.5
Unlock Method	Password	Power Supply Mode	Dry Battery
		Carton size	100pcs/ctn 55cm*24cm*37cm
Working Temperature	-10°C~45°C	Carton Weight	12.5KG
Function	Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-JZ11



Battery Level Indicator

Stainless Steel Shackle

Fingerprint Sensor

Password Button

Material	Zinc	Sepecification	55mm
Unlock Method	Fingerprint, Password, Mechanic keys, Bluetooth	Power Supply Mode	Button Battery, 210mAh
		Carton size	20pcs/ctn 40cm*20cm*16.5cm
Working Temperature	-20°C~55°C	Carton Weight	6.5KG
Function	IP67 Waterproof; Low battery alarm, Anti-pry alarm		



ITEM NO:HH-JZ916

Stainless Steel Shackle

Fingerprint Sensor



Material	Zinc	Sepecification	55mm
Unlock Method	Fingerprint(20 pcs), Mechanic keys	Power Supply Mode	Button Battery, 210mAh
		Carton size	20pcs/ctn 39cm*21cm*18cm
Working Temperature	-15°C~55°C	Carton Weight	6.5KG
Function	IP65 Waterproof; Low battery alarm, Anti-pry alarm		



ITEM NO:HH-JZ930



Battery Level Indicator

Stainless Steel Shackle

Fingerprint Sensor

Material	Zinc	Sepecification	55mm
Unlock Method	Fingerprint, Mechanic keys	Power Supply Mode	Button Battery, 210mAh
		Carton size	20pcs/ctn 40cm*20cm*16.5cm
Working Temperature	-20°C~55°C	Carton Weight	6.5KG
Function	IP65 Waterproof; Low battery alarm, Anti-pry alarm		



ITEM NO:HH-JZ931



Stainless Steel Shackle

Battery Level Indicator

Password Keypad

Material	Zinc	Sepecification	55mm
Unlock Method	Password, Mechanic keys	Power Supply Mode	Button Battery, 210mAh
		Carton size	20pcs/ctn 40cm*20cm*16.5cm
Working Temperature	-20°C~55°C	Carton Weight	6.5KG
Function	IP65 Waterproof; Low battery alarm, Anti-pry alarm		



ITEM NO:HH-K16



Integrated Touch Keypad

Material	ABS	Sepecification	/
Unlock Method	Fingerprint(20pcs),Mechanic keys, Tuya APP	Power Supply Mode	Dry Battery
		Carton size	100pcs/ctn 55cm*24cm*37cm
Working Temperature	-10°C~45°C	Carton Weight	10.6KG
Function	Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-NBSY20



Material	Zinc	Sepecification	6.3*2*9cm
Unlock Method	Fingerprint (20PCS), Morse Code	Power Supply Mode	Lithum Battery, 130mAh
		Carton size	200pcs/ctn 37cm*27cm*27.5cm
Working Temperature	-20°C~60°C	Carton Weight	22KG
Function	IPX6 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-NBSY21



Steel Wire Cable Shackle

Indicator Light

Fingerprint Sensor

Material	Zinc	Sepecification	6.3*2*9cm
Unlock Method	Fingerprint (20PCS), Morse Code	Power Supply Mode	Lithum Battery, 130mAh
		Carton size	200pcs/ctn 37cm*27cm*27.5cm
Working Temperature	-20°C~60°C	Carton Weight	9KG
Function	IPX6 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-PJSY14

Fingerprint Sensor



Stainless Steel
Shackle

Material	ABS	Sepecification	12*5.5*2
Unlock Method	Password(20PCS)	Power Supply Mode	Button Battery
		Carton size	200pcs/ctn 55cm*34cm*20cm
Working Temperature	-10°C~45°C	Carton Weight	9KG
Function	Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-PJSY15



Material	Zinc	Sepecification	12*5.5*2
Unlock Method	Password(20PCS)	Power Supply Mode	Button Battery
		Carton size	100pcs/ctn 30cm*33.5cm*21cm
Working Temperature	-10°C~60°C	Carton Weight	10KG
Function	IP44 Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-PJSY16



Material	Zinc	Sepcification	12*5.5*2
Unlock Method	Password(20PCS)	Power Supply Mode	Button Battery
		Carton size	100pcs/ctn 30cm*33.5cm*21cm
Working Temperature	-10°C~60°C	Carton Weight	10KG
Function	IP44 Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		




ITEM NO:HH-U9



Material	Aluminum	Specification	62mm*105mm
Unlock Method	Fingerprint(50pcs), Password(100pcs), Card (150pcs), Mechanic keys, Tuya APP,	Power Supply Mode	Lithium Battery, 500mAh
		Carton size	16pcs/ctn 47cm*33cm*35cm
Working Temperature	-10°C~45°C	Carton Weight	25.5KG
Function	Waterproof; Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-XPSY18



Material	304 Stainless Steel	Sepecification	
Unlock Method	Password(80PCS), Fingerprint (20PCS) Emergency Keys	Power Supply Mode	Lithum Battery
		Carton size	/
Working Temperature	-20°C~60°C	Carton Weight	/
Function	IP67 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-XPSY19



Material	Aluminum	Sepcification	
Unlock Method	Fingerprint (10PCS)	Power Supply Mode	Lithum Battery
		Carton size	/
Working Temperature	-20°C~60°C	Carton Weight	/
Function	IPX1 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-YPSY22



Material	Zinc	Sepecification	14*9*2.5cm
Unlock Method	Fingerprint (20PCS), Password	Power Supply Mode	Lithum Battery, 150mAh
		Carton size	100pcs/ctn 51cm*30cm*19cm
Working Temperature	-10°C~45°C	Carton Weight	12.4KG
Function	IPX5Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-YPSY23



Stainless Steel Shackle


Battery Level Indicator

Password Keypad

Material	Zinc	Sepecification	14*9*2.5cm
Unlock Method	Password(10PCS)	Power Supply Mode	Button Battery, 210mAh
		Carton size	100pcs/ctn 51cm*30cm*19cm
Working Temperature	-10°C~45°C	Carton Weight	12.4KG
Function	IPX5 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-YPSY24



Material	Zinc	Sepecification	14*9*2.5cm
Unlock Method	Fingerprint(20PCS)	Power Supply Mode	Button Battery, 210mAh
		Carton size	100pcs/ctn 51cm*30cm*19cm
Working Temperature	-10°C~45°C	Carton Weight	12.4KG
Function	IPX5 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-YPSY25



Material	Zinc	Sepecification	11*8*2.5cm
Unlock Method	Password(100PCS)	Power Supply Mode	Button Battery, 210mAh
		Carton size	50pcs/ctn 42cm*27cm*13cm
Working Temperature	-10°C~45°C	Carton Weight	9.9KG
Function	IPX5 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply, Tuya App(optional)		



ITEM NO:HH-YPSY26



Stainless Steel Shackle

Password Keypad

Type-C Power Supply

Material	Zinc	Sepecification	11*8*2.5cm
Unlock Method	Password(100PCS)	Power Supply Mode	Button Battery, 210mAh
		Carton size	50pcs/ctn 42cm*27cm*13cm
Working Temperature	-10°C~45°C	Carton Weight	9.9KG
Function	IPX5 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply, Tuya App(optional)		



ITEM NO:HH-YPSY27



Adjustable U Shackle

Password Keypad

Battery Indicator Light

Sawtooth Adjustment Section

Material	Zinc+ABS	Specification	43*13*3.5 cm
Unlock Method	Password, Mechanic Keys	Power Supply Mode	Button Battery, 210mAh
		Carton size	/
Working Temperature	-10°C~45°C	Carton Weight	/
Function	IPX5 Waterproof, Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		




ITEM NO:HH-WZCY01



Material	Aluminum	Sepecification	12*5.5*2
Unlock Method	Password(100PCS), Fingerprint (50PCS)	Power Supply Mode	Lithum Battery
		Carton size	30pcs/ctn 55cm*21cm*33cm
Working Temperature	-20°C~65°C	Carton Weight	16KG
Function	Low battery alarm, Anti-pry alarm, Type-C emergency Power supply		



ITEM NO:HH-WZCY02



Material	Aluminum	Sepecification	12*5.5*2
Unlock Method	Password(100PCS), Fingerprint (50PCS)	Power Supply Mode	Lithum Battery
		Carton size	30pcs/ctn 55cm*21cm*33cm
Working Temperature	-20°C~65°C	Carton Weight	16KG
Function	Low battery alarm, Anti-pry alarm, Type-C emergency Power supply, Adjustable(optional)		